

- 81 Echeverry, J.P., Urbaszek, B., Amand, T. et al. (2016). Splitting between bright and dark excitons in transition metal dichalcogenide monolayers. *Phys. Rev., B* 93: 121107. <https://doi.org/10.1103/PhysRevB.93.121107>.
- 82 Wang, G., Robert, C., Suslu, A. et al. (2015). Spin-orbit engineering in transition metal dichalcogenide alloy monolayers. *Nat. Commun.* 6: 10110. <https://doi.org/10.1038/ncomms10110>.
- 83 Zhang, X.-X., You, Y., Zhao, S.Y.F., and Heinz, T.F. (2015). Experimental evidence for dark excitons in monolayer WSe₂. *Phys. Rev. Lett.* 115: 257403. <https://doi.org/10.1103/PhysRevLett.115.257403>.
- 84 Arora, A., Koperski, M., Nogajewski, K. et al. (2015). Excitonic resonances in thin films of WSe₂: from monolayer to bulk material. *Nanoscale* 7: 10421–10429. <https://doi.org/10.1039/C5NR01536G>.
- 85 Withers, F., Del Pozo-Zamudio, O., Schwarz, S. et al. (2015). WSe₂ light-emitting tunneling transistors with enhanced brightness at room temperature. *Nano Lett.* 15: 8223–8228. <https://doi.org/10.1021/acs.nanolett.5b03740>.
- 86 Zhang, X.-X., Cao, T., Lu, Z. et al. (2017). Magnetic brightening and control of dark excitons in monolayer WSe₂. *Nat. Nanotechnol.* 12: 883–888. <https://doi.org/10.1038/nnano.2017.105>.
- 87 Yao, W., Xiao, D., and Niu, Q. (2008). Valley-dependent optoelectronics from inversion symmetry breaking. *Phys. Rev., B* 77: 235406. <https://doi.org/10.1103/PhysRevB.77.235406>.
- 88 Zeng, H., Dai, J., Yao, W. et al. (2012). Valley polarization in MoS₂ monolayers by optical pumping. *Nat. Nanotechnol.* 7: 490–493. <https://doi.org/10.1038/nnano.2012.95>.
- 89 Sallen, G., Bouet, L., Marie, X. et al. (2012). Robust optical emission polarization in MoS₂ monolayers through selective valley excitation. *Phys. Rev., B* 86: 081301. <https://doi.org/10.1103/PhysRevB.86.081301>.
- 90 Cao, T., Wang, G., Han, W. et al. (2012). Valley-selective circular dichroism of monolayer molybdenum disulphide. *Nat. Commun.* 3: 887. <https://doi.org/10.1038/ncomms1882>.
- 91 Pacchioni, G. (2020). Valleytronics with a twist. *Nat. Rev. Mater.* 5: 480–480. <https://doi.org/10.1038/s41578-020-0220-2>.
- 92 Mak, K.F., Xiao, D., and Shan, J. (2018). Light–valley interactions in 2D semiconductors. *Nat. Photonics* 12: 451–460. <https://doi.org/10.1038/s41566-018-0204-6>.
- 93 Schaibley, J.R., Yu, H., Clark, G. et al. (2016). Valleytronics in 2D materials. *Nat. Rev. Mater.* 1: 16055. <https://doi.org/10.1038/natrevmats.2016.55>.
- 94 Knox, R.S. (1983). Introduction to exciton physics. In: *Collective Excitations in Solids* (ed. B. Di Bartolo), 183–245. US: Springer.
- 95 Nam, S.B., Reynolds, D.C., Litton, C.W. et al. (1976). Free-exciton energy spectrum in GaAs. *Phys. Rev., B* 13: 761–767. <https://doi.org/10.1103/PhysRevB.13.761>.
- 96 Kazimierzczuk, T., Fröhlich, D., Scheel, S. et al. (2014). Giant Rydberg excitons in the copper oxide Cu₂O. *Nature* 514: 343–347. <https://doi.org/10.1038/nature13832>.

- 97 Wannier, G.H. (1937). The structure of electronic excitation levels in insulating crystals. *Phys. Rev.* 52: 191–197. <https://doi.org/10.1103/PhysRev.52.191>.
- 98 Aldrich, C. and Bajaj, K.K. (1977). Binding energy of a Mott-Wannier exciton in a polarizable medium. *Solid State Commun.* 22: 157–160. [https://doi.org/10.1016/0038-1098\(77\)90423-9](https://doi.org/10.1016/0038-1098(77)90423-9).
- 99 Hjalmarson, H.P., Büttner, H., and Dow, J.D. (1981). Theory of core excitons. *Phys. Rev., B* 24: 6010–6019. <https://doi.org/10.1103/PhysRevB.24.6010>.
- 100 Stein, T., Kronik, L., and Baer, R. (2009). Reliable prediction of charge transfer excitations in molecular complexes using time-dependent density functional theory. *J. Am. Chem. Soc.* 131: 2818–2820. <https://doi.org/10.1021/ja8087482>.
- 101 Cho, S.W., Piper, L.F.J., DeMasi, A. et al. (2010). Electronic structure of C60/phthalocyanine/ITO interfaces studied using soft X-ray spectroscopies. *J. Phys. Chem., C* 114: 1928–1933. <https://doi.org/10.1021/jp910504a>.
- 102 Arkhipov, V.I. and Bäessler, H. (2004). Exciton dissociation and charge photo-generation in pristine and doped conjugated polymers. *Phys. Status Solidi A* 201: 1152–1187. <https://doi.org/10.1002/pssa.200404339>.
- 103 Stier, A.V., Wilson, N.P., Clark, G. et al. (2016). Probing the influence of dielectric environment on excitons in monolayer WSe₂: insight from high magnetic fields. *Nano Lett.* 16: 7054–7060. <https://doi.org/10.1021/acs.nanolett.6b03276>.
- 104 Cadiz, F., Courtade, E., Robert, C. et al. (2017). Excitonic linewidth approaching the homogeneous limit in MoS₂-based van der Waals heterostructures. *Phys. Rev. X* 7: 021026. <https://doi.org/10.1103/PhysRevX.7.021026>.
- 105 Raja, A., Chaves, A., Yu, J. et al. (2017). Coulomb engineering of the bandgap and excitons in two-dimensional materials. *Nat. Commun.* 8: 15251. <https://doi.org/10.1038/ncomms15251>.
- 106 He, X.-F. (1991). Excitons in anisotropic solids: the model of fractional-dimensional space. *Phys. Rev., B* 43: 2063–2069. <https://doi.org/10.1103/PhysRevB.43.2063>.
- 107 Chernikov, A., Berkelbach, T.C., Hill, H.M. et al. (2014). Exciton binding energy and nonhydrogenic rydberg series in monolayer WS₂. *Phys. Rev. Lett.* 113: 076802. <https://doi.org/10.1103/PhysRevLett.113.076802>.
- 108 Berkelbach, T.C., Hybertsen, M.S., and Reichman, D.R. (2013). Theory of neutral and charged excitons in monolayer transition metal dichalcogenides. *Phys. Rev., B* 88: 045318. <https://doi.org/10.1103/PhysRevB.88.045318>.
- 109 Feng, J., Qian, X., Huang, C.-W., and Li, J. (2012). Strain-engineered artificial atom as a broad-spectrum solar energy funnel. *Nat. Photonics* 6: 866–872. <https://doi.org/10.1038/nphoton.2012.285>.
- 110 Qiu, D.Y., da Jornada, F.H., and Louie, S.G. (2013). Optical spectrum of MoS₂: many-body effects and diversity of exciton states. *Phys. Rev. Lett.* 111: 216805. <https://doi.org/10.1103/PhysRevLett.111.216805>.
- 111 Molina-Sánchez, A., Sangalli, D., Hummer, K. et al. (2013). Effect of spin-orbit interaction on the optical spectra of single-layer, double-layer, and bulk MoS₂. *Phys. Rev., B* 88: 045412. <https://doi.org/10.1103/PhysRevB.88.045412>.
- 112 Mak, K.F., He, K., Lee, C. et al. (2013). Tightly bound trions in monolayer MoS₂. *Nat. Mater.* 12: 207–211. <https://doi.org/10.1038/nmat3505>.

- 113** Gogoi, P.K., Hu, Z., Wang, Q. et al. (2017). Oxygen passivation mediated tunability of trion and excitons in MoS₂. *Phys. Rev. Lett.* 119: 077402. <https://doi.org/10.1103/PhysRevLett.119.077402>.
- 114** Thilagam, A. (2014). Exciton complexes in low dimensional transition metal dichalcogenides. *J. Appl. Phys.* 116: 053523. <https://doi.org/10.1063/1.4892488>.
- 115** You, Y., Zhang, X.-X., Berkelbach, T.C. et al. (2015). Observation of biexcitons in monolayer WSe₂. *Nat. Phys.* 11: 477–481. <https://doi.org/10.1038/nphys3324>.
- 116** Klingshirn, C.F. (2007). *Semiconductor Optics*, vol. 3. Springer.
- 117** Cudazzo, P., Tokatly, I.V., and Rubio, A. (2011). Dielectric screening in two-dimensional insulators: implications for excitonic and impurity states in graphane. *Phys. Rev., B* 84: 085406. <https://doi.org/10.1103/PhysRevB.84.085406>.
- 118** Ross, J.S., Wu, S., Yu, H. et al. (2013). Electrical control of neutral and charged excitons in a monolayer semiconductor. *Nat. Commun.* 4: 1474. <https://doi.org/10.1038/ncomms2498>.
- 119** Huard, V., Cox, R.T., Saminadayar, K. et al. (2000). Bound states in optical absorption of semiconductor quantum wells containing a two-dimensional electron gas. *Phys. Rev. Lett.* 84: 187–190. <https://doi.org/10.1103/PhysRevLett.84.187>.
- 120** Albrecht, S., Reining, L., Del Sole, R., and Onida, G. (1998). Ab initio calculation of excitonic effects in the optical spectra of semiconductors. *Phys. Rev. Lett.* 80: 4510–4513. <https://doi.org/10.1103/PhysRevLett.80.4510>.
- 121** Rohlfing, M. and Louie, S.G. (1998). Electron-hole excitations in semiconductors and insulators. *Phys. Rev. Lett.* 81: 2312–2315. <https://doi.org/10.1103/PhysRevLett.81.2312>.
- 122** Yang, L., Deslippe, J., Park, C.-H. et al. (2009). Excitonic effects on the optical response of graphene and bilayer graphene. *Phys. Rev. Lett.* 103: 186802. <https://doi.org/10.1103/PhysRevLett.103.186802>.
- 123** Mak, K.F., Shan, J., and Heinz, T.F. (2011). Seeing many-body effects in single- and few-layer graphene: observation of two-dimensional saddle-point excitons. *Phys. Rev. Lett.* 106: 046401. <https://doi.org/10.1103/PhysRevLett.106.046401>.
- 124** Zhang, Q., Jie, J., Diao, S. et al. (2015). Solution-processed graphene quantum dot deep-UV photodetectors. *ACS Nano* 9: 1561–1570. <https://doi.org/10.1021/acsnano.5b00437>.
- 125** Zeng, L., Tao, L., Tang, C. et al. (2016). High-responsivity UV-vis photodetector based on transferable WS₂ film deposited by magnetron sputtering. *Sci. Rep.* 6: 20343. <https://doi.org/10.1038/srep20343>.
- 126** Singh, R.S., Li, D., Xiong, Q. et al. (2016). Anomalous photoresponse in the deep-ultraviolet due to resonant excitonic effects in oxygen plasma treated few-layer graphene. *Carbon* 106: 330–335. <https://doi.org/10.1016/j.carbon.2016.05.026>.
- 127** Yang, L. (2011). Excitons in intrinsic and bilayer graphene. *Phys. Rev., B* 83: 085405. <https://doi.org/10.1103/PhysRevB.83.085405>.
- 128** Benameur, M.M., Radisavljevic, B., Héron, J.S. et al. (2011). Visibility of dichalcogenide nanolayers. *Nanotechnology* 22: 125706. <https://doi.org/10.1088/0957-4484/22/12/125706>.

- 129** Coleman, J.N., Lotya, M., O'Neill, A. et al. (2011). Two-dimensional nanosheets produced by liquid exfoliation of layered materials. *Science* 331: 568–571. <https://doi.org/10.1126/science.1194975>.
- 130** Nicolosi, V., Chhowalla, M., Kanatzidis, M.G. et al. (2013). Liquid exfoliation of layered materials. *Science* 340: 1226419. <https://doi.org/10.1126/science.1226419>.
- 131** Eda, G., Yamaguchi, H., Voiry, D. et al. (2011). Photoluminescence from chemically exfoliated MoS₂. *Nano Lett.* 11: 5111–5116. <https://doi.org/10.1021/nl201874w>.
- 132** Gordon, R.A., Yang, D., Crozier, E.D. et al. (2002). Structures of exfoliated single layers of WS₂, MoS₂, and MoSe₂ in aqueous suspension. *Phys. Rev., B* 65: 125407. <https://doi.org/10.1103/PhysRevB.65.125407>.
- 133** Kappera, R., Voiry, D., Yalcin, S.E. et al. (2014). Phase-engineered low-resistance contacts for ultrathin MoS₂ transistors. *Nat. Mater.* 13: 1128–1134. <https://doi.org/10.1038/nmat4080>.
- 134** Mittal, M., Sardar, S., and Jana, A. (2021). Chapter 7 - Nanofabrication techniques for semiconductor chemical sensors. In: *Handbook of Nanomaterials for Sensing Applications* (ed. C.M. Hussain and S.K. Kailasa), 119–137. Elsevier.
- 135** Niu, G., Saint-Girons, G., and Vilquin, B. (2013). Chapter 17 - Epitaxial systems combining oxides and semiconductors. In: *In Molecular Beam Epitaxy* (ed. M. Henini), 451–475. Elsevier.
- 136** Sun, L., Yuan, G., Gao, L. et al. (2021). Chemical vapour deposition. *Nat. Rev. Methods Primers* 1: 5. <https://doi.org/10.1038/s43586-020-00005-y>.
- 137** Huang, J.-K., Pu, J., Hsu, C.-L. et al. (2014). Large-area synthesis of highly crystalline WSe₂ monolayers and device applications. *ACS Nano* 8: 923–930. <https://doi.org/10.1021/nn405719x>.
- 138** Najmaei, S., Liu, Z., Zhou, W. et al. (2013). Vapour phase growth and grain boundary structure of molybdenum disulphide atomic layers. *Nat. Mater.* 12: 754–759. <https://doi.org/10.1038/nmat3673>.
- 139** van der Zande, A.M., Huang, P.Y., Chenet, D.A. et al. (2013). Grains and grain boundaries in highly crystalline monolayer molybdenum disulphide. *Nat. Mater.* 12: 554–561. <https://doi.org/10.1038/nmat3633>.
- 140** Zou, X., Liu, Y., and Yakobson, B.I. (2013). Predicting dislocations and grain boundaries in two-dimensional metal-disulfides from the first principles. *Nano Lett.* 13: 253–258. <https://doi.org/10.1021/nl3040042>.
- 141** Dumcenco, D., Ovchinnikov, D., Marinov, K. et al. (2015). Large-area epitaxial monolayer MoS₂. *ACS Nano* 9: 4611–4620. <https://doi.org/10.1021/acsnano.5b01281>.
- 142** Chung, J.W., Dai, Z.R., and Ohuchi, F.S. (1998). WS₂ thin films by metal organic chemical vapor deposition. *J. Cryst. Growth* 186: 137–150. [https://doi.org/10.1016/S0022-0248\(97\)00479-X](https://doi.org/10.1016/S0022-0248(97)00479-X).
- 143** Dumcenco, D., Ovchinnikov, D., Sanchez, O.L. et al. (2015). Large-area MoS₂ grown using H₂ S as the sulphur source. *2D Materials* 2: 044005. <https://doi.org/10.1088/2053-1583/2/4/044005>.

- 144 Eichfeld, S.M., Hossain, L., Lin, Y.-C. et al. (2015). Highly scalable, atomically thin WSe₂ grown via metal–organic chemical vapor deposition. *ACS Nano* 9: 2080–2087. <https://doi.org/10.1021/nn5073286>.
- 145 Kang, K., Xie, S., Huang, L. et al. (2015). High-mobility three-atom-thick semi-conducting films with wafer-scale homogeneity. *Nature* 520: 656–660. <https://doi.org/10.1038/nature14417>.
- 146 Xia, J., Huang, X., Liu, L.-Z. et al. (2014). CVD synthesis of large-area, highly crystalline MoSe₂ atomic layers on diverse substrates and application to photodetectors. *Nanoscale* 6: 8949–8955. <https://doi.org/10.1039/C4NR02311K>.
- 147 Chang, Y.-H., Zhang, W., Zhu, Y. et al. (2014). Monolayer MoSe₂ grown by chemical vapor deposition for fast photodetection. *ACS Nano* 8: 8582–8590. <https://doi.org/10.1021/nn503287m>.
- 148 Gao, Y., Liu, Z., Sun, D.-M. et al. (2015). Large-area synthesis of high-quality and uniform monolayer WS₂ on reusable au foils. *Nat. Commun.* 6: 8569. <https://doi.org/10.1038/ncomms9569>.
- 149 Kobayashi, Y., Sasaki, S., Mori, S. et al. (2015). Growth and optical properties of high-quality monolayer WS₂ on graphite. *ACS Nano* 9: 4056–4063. <https://doi.org/10.1021/acsnano.5b00103>.
- 150 Okada, M., Sawazaki, T., Watanabe, K. et al. (2014). Direct chemical vapor deposition growth of WS₂ atomic layers on hexagonal boron nitride. *ACS Nano* 8: 8273–8277. <https://doi.org/10.1021/nn503093k>.
- 151 Tan, H., Fan, Y., Zhou, Y. et al. (2016). Ultrathin 2D photodetectors utilizing chemical vapor deposition grown WS₂ with graphene electrodes. *ACS Nano* 10: 7866–7873. <https://doi.org/10.1021/acsnano.6b03722>.
- 152 Zhang, Y., Zhang, Y., Ji, Q. et al. (2013). Controlled growth of high-quality monolayer WS₂ layers on sapphire and imaging its grain boundary. *ACS Nano* 7: 8963–8971. <https://doi.org/10.1021/nn403454e>.
- 153 Chen, J., Liu, B., Liu, Y. et al. (2015). Chemical vapor deposition of large-sized hexagonal WSe₂ crystals on dielectric substrates. *Adv. Mater.* 27: 6722–6727. <https://doi.org/10.1002/adma.201503446>.
- 154 Liu, B., Fathi, M., Chen, L. et al. (2015). Chemical vapor deposition growth of monolayer WSe₂ with tunable device characteristics and growth mechanism study. *ACS Nano* 9: 6119–6127. <https://doi.org/10.1021/acsnano.5b01301>.
- 155 Yoshida, M., Iizuka, T., Saito, Y. et al. (2016). Gate-optimized thermoelectric power factor in ultrathin WSe₂ single crystals. *Nano Lett.* 16: 2061–2065. <https://doi.org/10.1021/acs.nanolett.6b00075>.
- 156 Keyshar, K., Gong, Y., Ye, G. et al. (2015). Chemical vapor deposition of monolayer rhenium disulfide (ReS₂). *Adv. Mater.* 27: 4640–4648. <https://doi.org/10.1002/adma.201501795>.
- 157 He, X., Liu, F., Hu, P. et al. (2015). Chemical vapor deposition of high-quality and atomically layered ReS₂. *Small* 11: 5423–5429. <https://doi.org/10.1002/sml.201501488>.
- 158 Hafeez, M., Gan, L., Li, H. et al. (2016). Large-area bilayer ReS₂ film/multilayer ReS₂ flakes synthesized by chemical vapor deposition for high performance photodetectors. *Adv. Funct. Mater.* 26: 4551–4560. <https://doi.org/10.1002/adfm.201601019>.

- 159 Hafeez, M., Gan, L., Li, H. et al. (2016). Chemical vapor deposition synthesis of ultrathin hexagonal ReSe_2 flakes for anisotropic Raman property and optoelectronic application. *Adv. Mater.* 28: 8296–8301. <https://doi.org/10.1002/adma.201601977>.
- 160 Naylor, C.H., Parkin, W.M., Ping, J. et al. (2016). Monolayer single-crystal $1\text{T}'\text{-MoTe}_2$ grown by chemical vapor deposition exhibits weak antilocalization effect. *Nano Lett.* 16: 4297–4304. <https://doi.org/10.1021/acs.nanolett.6b01342>.
- 161 Zhou, J., Liu, F., Lin, J. et al. (2017). Large-area and high-quality 2D transition metal telluride. *Adv. Mater.* 29: 1603471. <https://doi.org/10.1002/adma.201603471>.
- 162 Joyce, B.A. (1985). Molecular beam epitaxy. *Rep. Prog. Phys.* 48: 1637–1697. <https://doi.org/10.1088/0034-4885/48/12/002>.
- 163 Arthur, J.R. (2002). Molecular beam epitaxy. *Surf. Sci.* 500: 189–217. [https://doi.org/10.1016/S0039-6028\(01\)01525-4](https://doi.org/10.1016/S0039-6028(01)01525-4).
- 164 Ugeda, M.M., Bradley, A.J., Shi, S.-F. et al. (2014). Giant bandgap renormalization and excitonic effects in a monolayer transition metal dichalcogenide semiconductor. *Nat. Mater.* 13: 1091–1095. <https://doi.org/10.1038/nmat4061>.
- 165 Barja, S., Wickenburg, S., Liu, Z.-F. et al. (2016). Charge density wave order in 1D mirror twin boundaries of single-layer MoSe_2 . *Nat. Phys.* 12: 751–756. <https://doi.org/10.1038/nphys3730>.
- 166 Vishwanath, S., Liu, X., Rouvimov, S. et al. (2015). Comprehensive structural and optical characterization of MBE grown MoSe_2 on graphite, CaF_2 and graphene. *2D Materials* 2: 024007. <https://doi.org/10.1088/2053-1583/2/2/024007>.
- 167 Aretouli, K.E., Tsoutsou, D., Tsiapas, P. et al. (2016). Epitaxial 2D $\text{SnSe}_2/2\text{D WSe}_2$ van der Waals heterostructures. *ACS Appl. Mater. Interfaces* 8: 23222–23229. <https://doi.org/10.1021/acsami.6b02933>.
- 168 Xenogiannopoulou, E., Tsiapas, P., Aretouli, K.E. et al. (2015). High-quality, large-area MoSe_2 and $\text{MoSe}_2/\text{Bi}_2\text{Se}_3$ heterostructures on $\text{AlN}(0001)/\text{Si}(111)$ substrates by molecular beam epitaxy. *Nanoscale* 7: 7896–7905. <https://doi.org/10.1039/C4NR06874B>.
- 169 Zhao, W., Ribeiro, R.M., and Eda, G. (2015). Electronic structure and optical signatures of semiconducting transition metal dichalcogenide nanosheets. *Acc. Chem. Res.* 48: 91–99. <https://doi.org/10.1021/ar500303m>.
- 170 Mueller, T. and Malic, E. (2018). Exciton physics and device application of two-dimensional transition metal dichalcogenide semiconductors. *npj 2D Mater. Appl.* 2: 29. <https://doi.org/10.1038/s41699-018-0074-2>.
- 171 Nagler, P., Plechinger, G., Ballottin, M.V. et al. (2017). Interlayer exciton dynamics in a dichalcogenide monolayer heterostructure. *2D Materials* 4: 025112. <https://doi.org/10.1088/2053-1583/aa7352>.
- 172 He, K., Kumar, N., Zhao, L. et al. (2014). Tightly bound excitons in monolayer WSe_2 . *Phys. Rev. Lett.* 113: 026803. <https://doi.org/10.1103/PhysRevLett.113.026803>.
- 173 Mak, K.F., He, K., Shan, J., and Heinz, T.F. (2012). Control of valley polarization in monolayer MoS_2 by optical helicity. *Nat. Nanotechnol.* 7: 494–498. <https://doi.org/10.1038/nnano.2012.96>.

- 174** Jones, A.M., Yu, H., Ghimire, N.J. et al. (2013). Optical generation of excitonic valley coherence in monolayer WSe₂. *Nat. Nanotechnol.* 8: 634–638. <https://doi.org/10.1038/nnano.2013.151>.
- 175** Kim, J., Hong, X., Jin, C. et al. (2014). Ultrafast generation of pseudo-magnetic field for valley excitons in WSe₂ monolayers. *Science* 346: 1205–1208. <https://doi.org/10.1126/science.1258122>.
- 176** Sie, E.J., McIver, J.W., Lee, Y.-H. et al. (2015). Valley-selective optical stark effect in monolayer WS₂. *Nat. Mater.* 14: 290–294. <https://doi.org/10.1038/nmat4156>.
- 177** Mai, C., Semenov, Y.G., Barrette, A. et al. (2014). Exciton valley relaxation in a single layer of WS₂ measured by ultrafast spectroscopy. *Phys. Rev., B* 90: 041414. <https://doi.org/10.1103/PhysRevB.90.041414>.
- 178** Wang, G., Bouet, L., Lagarde, D. et al. (2014). Valley dynamics probed through charged and neutral exciton emission in monolayer WSe₂. *Phys. Rev., B* 90: 075413. <https://doi.org/10.1103/PhysRevB.90.075413>.
- 179** Tonndorf, P., Schmidt, R., Schneider, R. et al. (2015). Single-photon emission from localized excitons in an atomically thin semiconductor. *Optica* 2: 347–352. <https://doi.org/10.1364/OPTICA.2.000347>.
- 180** Srivastava, A., Sidler, M., Allain, A.V. et al. (2015). Optically active quantum dots in monolayer WSe₂. *Nat. Nanotechnol.* 10: 491–496. <https://doi.org/10.1038/nnano.2015.60>.
- 181** He, Y.-M., Clark, G., Schaibley, J.R. et al. (2015). Single quantum emitters in monolayer semiconductors. *Nat. Nanotechnol.* 10: 497–502. <https://doi.org/10.1038/nnano.2015.75>.
- 182** Koperski, M., Nogajewski, K., Arora, A. et al. (2015). Single photon emitters in exfoliated WSe₂ structures. *Nat. Nanotechnol.* 10: 503–506. <https://doi.org/10.1038/nnano.2015.67>.
- 183** Chakraborty, C., Kinnischtzke, L., Goodfellow, K.M. et al. (2015). Voltage-controlled quantum light from an atomically thin semiconductor. *Nat. Nanotechnol.* 10: 507–511. <https://doi.org/10.1038/nnano.2015.79>.
- 184** Geim, A.K. and Grigorieva, I.V. (2013). Van der Waals heterostructures. *Nature* 499: 419–425. <https://doi.org/10.1038/nature12385>.
- 185** Fang, H., Battaglia, C., Carraro, C. et al. (2014). Strong interlayer coupling in van der Waals heterostructures built from single-layer chalcogenides. *Proc. Natl. Acad. Sci.* 111: 6198–6202. <https://doi.org/10.1073/pnas.1405435111>.
- 186** Rivera, P., Schaibley, J.R., Jones, A.M. et al. (2015). Observation of long-lived interlayer excitons in monolayer MoSe₂-WSe₂ heterostructures. *Nat. Commun.* 6: 6242. <https://doi.org/10.1038/ncomms7242>.
- 187** Baranowski, M., Surrente, A., Klopotoski, L. et al. (2017). Probing the interlayer exciton physics in a MoS₂/MoSe₂/MoS₂ van der Waals heterostructure. *Nano Lett.* 17: 6360–6365. <https://doi.org/10.1021/acs.nanolett.7b03184>.
- 188** Fogler, M.M., Butov, L.V., and Novoselov, K.S. (2014). High-temperature superfluidity with indirect excitons in van der Waals heterostructures. *Nat. Commun.* 5: 4555. <https://doi.org/10.1038/ncomms5555>.

- 189 Yu, Y., Hu, S., Su, L. et al. (2015). Equally efficient interlayer exciton relaxation and improved absorption in epitaxial and nonepitaxial MoS₂/WS₂ heterostructures. *Nano Lett.* 15: 486–491. <https://doi.org/10.1021/nl5038177>.
- 190 Gao, S., Yang, L., and Spataru, C.D. (2017). Interlayer coupling and gate-tunable excitons in transition metal dichalcogenide heterostructures. *Nano Lett.* 17: 7809–7813. <https://doi.org/10.1021/acs.nanolett.7b04021>.
- 191 Hanbicki, A.T., Chuang, H.-J., Rosenberger, M.R. et al. (2018). Double indirect interlayer exciton in a MoSe₂/WSe₂ van der Waals heterostructure. *ACS Nano* 12: 4719–4726. <https://doi.org/10.1021/acsnano.8b01369>.
- 192 Fujiwara, H. (2007). *Spectroscopic Ellipsometry: Principles and Applications*. Wiley.
- 193 Li, D., Song, X., Xu, J. et al. (2017). Optical properties of thickness-controlled MoS₂ thin films studied by spectroscopic ellipsometry. *Appl. Surf. Sci.* 421: 884–890. <https://doi.org/10.1016/j.apsusc.2016.09.069>.
- 194 Carvalho, A., Ribeiro, R.M., and Castro Neto, A.H. (2013). Band nesting and the optical response of two-dimensional semiconducting transition metal dichalcogenides. *Phys. Rev., B* 88: 115205. <https://doi.org/10.1103/PhysRevB.88.115205>.
- 195 Kumar, R., Carvalho, A., Amara, K.K. et al. (2014). Photocarrier relaxation pathway in two-dimensional semiconducting transition metal dichalcogenides. *Nat. Commun.* 5: 4543. <https://doi.org/10.1038/ncomms5543>.
- 196 Zhao, W., Ghorannevis, Z., Chu, L. et al. (2013). Evolution of electronic structure in atomically thin sheets of WS₂ and WSe₂. *ACS Nano* 7: 791–797. <https://doi.org/10.1021/nn305275h>.
- 197 Yin, X., Tang, C.S., Wu, D. et al. (2019). Unraveling high-yield phase-transition dynamics in transition metal dichalcogenides on metallic substrates. *Adv. Sci.* 6: 1802093. <https://doi.org/10.1002/advs.201802093>.
- 198 Zhang, X., Qiao, X.-F., Shi, W. et al. (2015). Phonon and Raman scattering of two-dimensional transition metal dichalcogenides from monolayer, multilayer to bulk material. *Chem. Soc. Rev.* 44: 2757–2785. <https://doi.org/10.1039/C4CS00282B>.
- 199 Kolobov, A.V. and Tominaga, J. (2016). *Two-Dimensional Transition-Metal Dichalcogenides*, 1e. Springer International Publishing: Imprint: Springer.
- 200 Sandoval, S.J., Yang, D., Frindt, R.F., and Irwin, J.C. (1991). Raman study and lattice dynamics of single molecular layers of MoS₂. *Phys. Rev., B* 44: 3955–3962. <https://doi.org/10.1103/PhysRevB.44.3955>.
- 201 Zhao, Y., Luo, X., Li, H. et al. (2013). Interlayer breathing and shear modes in few-trilayer MoS₂ and WSe₂. *Nano Lett.* 13: 1007–1015. <https://doi.org/10.1021/nl304169w>.
- 202 Verble, J.L. and Wieting, T.J. (1970). Lattice mode degeneracy in MoS₂ and other layer compounds. *Phys. Rev. Lett.* 25: 362–365. <https://doi.org/10.1103/PhysRevLett.25.362>.
- 203 Bromley, R.A. (1971). The lattice vibrations of the MoS₂ structure. *Philos. Mag. A* 23: 1417–1427. <https://doi.org/10.1080/14786437108217011>.

- 204 Yuan, P., Li, C., Xu, S. et al. (2017). Interfacial thermal conductance between few to tens of layered-MoS₂ and c-Si: effect of MoS₂ thickness. *Acta Mater.* 122: 152–165. <https://doi.org/10.1016/j.actamat.2016.09.045>.
- 205 Bertrand, P.A. (1991). Surface-phonon dispersion of MoS₂. *Phys. Rev., B* 44: 5745–5749. <https://doi.org/10.1103/PhysRevB.44.5745>.
- 206 Wieting, T.J. and Verble, J.L. (1972). Interlayer bonding and the lattice vibrations of beta-GaSe. *Phys. Rev., B* 5: 1473–1479. <https://doi.org/10.1103/PhysRevB.5.1473>.
- 207 Tongay, S., Zhou, J., Ataca, C. et al. (2012). Thermally driven crossover from indirect toward direct bandgap in 2D semiconductors: MoSe₂ versus MoS₂. *Nano Lett.* 12: 5576–5580. <https://doi.org/10.1021/nl302584w>.
- 208 Tonndorf, P., Schmidt, R., Böttger, P. et al. (2013). Photoluminescence emission and Raman response of monolayer MoS₂, MoSe₂, and WSe₂. *Opt. Express* 21: 4908–4916. <https://doi.org/10.1364/OE.21.004908>.
- 209 Gutiérrez, H.R., Perea-López, N., Elías, A.L. et al. (2013). Extraordinary room-temperature photoluminescence in triangular WS₂ monolayers. *Nano Lett.* 13: 3447–3454. <https://doi.org/10.1021/nl3026357>.
- 210 Zhao, W., Ghorannevis, Z., Amara, K.K. et al. (2013). Lattice dynamics in mono- and few-layer sheets of WS₂ and WSe₂. *Nanoscale* 5: 9677–9683. <https://doi.org/10.1039/C3NR03052K>.
- 211 Li, H., Lu, G., Wang, Y. et al. (2013). Mechanical exfoliation and characterization of single- and few-layer nanosheets of WSe₂, TaS₂, and TaSe₂. *Small* 9: 1974–1981. <https://doi.org/10.1002/sml.201202919>.
- 212 Lee, J.E., Ahn, G., Shim, J. et al. (2012). Optical separation of mechanical strain from charge doping in graphene. *Nat. Commun.* 3: 1024. <https://doi.org/10.1038/ncomms2022>.
- 213 Chakraborty, B., Bera, A., Muthu, D.V.S. et al. (2012). Symmetry-dependent phonon renormalization in monolayer MoS₂ transistor. *Phys. Rev., B* 85: 161403. <https://doi.org/10.1103/PhysRevB.85.161403>.
- 214 Rice, C., Young, R.J., Zan, R. et al. (2013). Raman-scattering measurements and first-principles calculations of strain-induced phonon shifts in monolayer MoS₂. *Phys. Rev., B* 87: 081307. <https://doi.org/10.1103/PhysRevB.87.081307>.
- 215 Hui, Y.Y., Liu, X., Jie, W. et al. (2013). Exceptional tunability of band energy in a compressively strained trilayer MoS₂ sheet. *ACS Nano* 7: 7126–7131. <https://doi.org/10.1021/nn4024834>.
- 216 Liu, Z., Amani, M., Najmaei, S. et al. (2014). Strain and structure heterogeneity in MoS₂ atomic layers grown by chemical vapour deposition. *Nat. Commun.* 5: 5246. <https://doi.org/10.1038/ncomms6246>.
- 217 Mignuzzi, S., Pollard, A.J., Bonini, N. et al. (2015). Effect of disorder on Raman scattering of single-layer Mo₂. *Phys. Rev., B* 91: 195411. <https://doi.org/10.1103/PhysRevB.91.195411>.
- 218 Song, S., Keum, D.H., Cho, S. et al. (2016). Room temperature semiconductor–metal transition of MoTe₂ thin films engineered by strain. *Nano Lett.* 16: 188–193. <https://doi.org/10.1021/acs.nanolett.5b03481>.

- 219 Kang, J., Liu, W., Sarkar, D. et al. (2014). Computational study of metal contacts to monolayer transition-metal dichalcogenide semiconductors. *Phys. Rev. X* 4: 031005. <https://doi.org/10.1103/PhysRevX.4.031005>.
- 220 Popov, I., Seifert, G., and Tománek, D. (2012). Designing electrical contacts to MoS₂ monolayers: a computational study. *Phys. Rev. Lett.* 108: 156802. <https://doi.org/10.1103/PhysRevLett.108.156802>.
- 221 Kang, Y., Najmaei, S., Liu, Z. et al. (2014). Plasmonic hot electron induced structural phase transition in a MoS₂ monolayer. *Adv. Mater.* 26: 6467–6471. <https://doi.org/10.1002/adma.201401802>.
- 222 Nayak, A.P., Pandey, T., Voiry, D. et al. (2015). Pressure-dependent optical and vibrational properties of monolayer molybdenum disulfide. *Nano Lett.* 15: 346–353. <https://doi.org/10.1021/nl5036397>.
- 223 Tan, S.J.R., Abdelwahab, I., Ding, Z. et al. (2017). Chemical stabilization of 1T' phase transition metal dichalcogenides with giant optical Kerr nonlinearity. *J. Am. Chem. Soc.* 139: 2504–2511. <https://doi.org/10.1021/jacs.6b13238>.
- 224 Wilson, N.R., Nguyen, P.V., Seyler, K. et al. Determination of band offsets, hybridization, and exciton binding in 2D semiconductor heterostructures. *Sci. Adv.* 3: e1601832. <https://doi.org/10.1126/sciadv.1601832>.
- 225 Yang, H., Liang, A., Chen, C. et al. (2018). Visualizing electronic structures of quantum materials by angle-resolved photoemission spectroscopy. *Nat. Rev. Mater.* 3: 341–353. <https://doi.org/10.1038/s41578-018-0047-2>.
- 226 Yuan, H., Liu, Z., Xu, G. et al. (2016). Evolution of the valley position in bulk transition-metal chalcogenides and their monolayer limit. *Nano Lett.* 16: 4738–4745. <https://doi.org/10.1021/acs.nanolett.5b05107>.
- 227 Mo, S.-K. (2017). Angle-resolved photoemission spectroscopy for the study of two-dimensional materials. *Nano Convergence* 4: 6. <https://doi.org/10.1186/s40580-017-0100-7>.
- 228 Alidoust, N., Bian, G., Xu, S.-Y. et al. (2014). Observation of monolayer valence band spin-orbit effect and induced quantum well states in MoX₂. *Nat. Commun.* 5: 4673. <https://doi.org/10.1038/ncomms5673>.
- 229 Riley, J.M., Mazzola, F., Dendzik, M. et al. (2014). Direct observation of spin-polarized bulk bands in an inversion-symmetric semiconductor. *Nat. Phys.* 10: 835–839. <https://doi.org/10.1038/nphys3105>.
- 230 Suzuki, R., Sakano, M., Zhang, Y.J. et al. (2014). Valley-dependent spin polarization in bulk MoS₂ with broken inversion symmetry. *Nat. Nanotechnol.* 9: 611–617. <https://doi.org/10.1038/nnano.2014.148>.
- 231 Razzoli, E., Jaouen, T., Mottas, M.L. et al. (2017). Selective probing of hidden spin-polarized states in inversion-symmetric bulk MoS₂. *Phys. Rev. Lett.* 118: 086402. <https://doi.org/10.1103/PhysRevLett.118.086402>.
- 232 Pierucci, D., Henck, H., Avila, J. et al. (2016). Band alignment and minigaps in monolayer MoS₂-graphene van der Waals heterostructures. *Nano Lett.* 16: 4054–4061. <https://doi.org/10.1021/acs.nanolett.6b00609>.
- 233 Ulstrup, S., Koch, R.J., Singh, S. et al. Direct observation of minibands in a twisted graphene/WS₂ bilayer. *Sci. Adv.* 6: eaay6104. <https://doi.org/10.1126/sciadv.aay6104>.

- 234** Cao, Y., Fatemi, V., Fang, S. et al. (2018). Unconventional superconductivity in magic-angle graphene superlattices. *Nature* 556: 43–50. <https://doi.org/10.1038/nature26160>.
- 235** Wang, L., Shih, E.-M., Ghiotto, A. et al. (2020). Correlated electronic phases in twisted bilayer transition metal dichalcogenides. *Nat. Mater.* 19: 861–866. <https://doi.org/10.1038/s41563-020-0708-6>.
- 236** Ghiotto, A., Shih, E.-M., Pereira, G.S.S.G. et al. (2021). Quantum criticality in twisted transition metal dichalcogenides. *Nature* 597: 345–349. <https://doi.org/10.1038/s41586-021-03815-6>.
- 237** Pei, D., Wang, B., Zhou, Z. et al. (2022). Observation of gamma-valley moiré bands and emergent hexagonal lattice in twisted transition metal dichalcogenides. *Phys. Rev. X* 12: 021065. <https://doi.org/10.1103/PhysRevX.12.021065>.
- 238** Ganguli, S.C., Vaño, V., Kezilebieke, S. et al. (2022). Confinement-engineered superconductor to correlated-insulator transition in a van der Waals monolayer. *Nano Lett.* 22: 1845–1850. <https://doi.org/10.1021/acs.nanolett.1c03491>.
- 239** Kusmartseva, A.F., Sipos, B., Berger, H. et al. (2009). Pressure induced superconductivity in pristine 1T–TiSe₂. *Phys. Rev. Lett.* 103: 236401. <https://doi.org/10.1103/PhysRevLett.103.236401>.
- 240** Wei, M.J., Lu, W.J., Xiao, R.C. et al. (2017). Manipulating charge density wave order in monolayer 1T–TiSe₂ by strain and charge doping: a first-principles investigation. *Phys. Rev., B* 96: 165404. <https://doi.org/10.1103/PhysRevB.96.165404>.
- 241** Yokota, K.-i, Kurata, G., Matsui, T., and Fukuyama, H. (2000). Superconductivity in the quasi-two-dimensional conductor 2H-TaSe₂. *Physica B* 284–288: 551–552. [https://doi.org/10.1016/S0921-4526\(99\)02166-3](https://doi.org/10.1016/S0921-4526(99)02166-3).
- 242** Terashima, K., Sato, T., Komatsu, H. et al. (2003). Charge-density wave transition of 1T–VSe₂ studied by angle-resolved photoemission spectroscopy. *Phys. Rev., B* 68: 155108. <https://doi.org/10.1103/PhysRevB.68.155108>.
- 243** Li, Y.W., Jiang, J., Yang, H.F. et al. (2018). Folded superstructure and degeneracy-enhanced band gap in the weak-coupling charge density wave system 2H–TaSe₂. *Phys. Rev., B* 97: 115118. <https://doi.org/10.1103/PhysRevB.97.115118>.
- 244** Rahn, D.J., Hellmann, S., Kalläne, M. et al. (2012). Gaps and kinks in the electronic structure of the superconductor 2H-NbSe₂ from angle-resolved photoemission at 1 K. *Phys. Rev., B* 85: 224532. <https://doi.org/10.1103/PhysRevB.85.224532>.
- 245** Ugeda, M.M., Bradley, A.J., Zhang, Y. et al. (2016). Characterization of collective ground states in single-layer NbSe₂. *Nat. Phys.* 12: 92–97. <https://doi.org/10.1038/nphys3527>.
- 246** Nakata, Y., Sugawara, K., Ichinokura, S. et al. (2018). Anisotropic band splitting in monolayer NbSe₂: implications for superconductivity and charge density wave. *Npj 2D Mater. Appl.* 2: 12. <https://doi.org/10.1038/s41699-018-0057-3>.

- 247 Calandra, M., Mazin, I.I., and Mauri, F. (2009). Effect of dimensionality on the charge-density wave in few-layer 2H-NbSe₂. *Phys. Rev., B* 80: 241108. <https://doi.org/10.1103/PhysRevB.80.241108>.
- 248 Chen, P., Chan, Y.H., Fang, X.Y. et al. (2015). Charge density wave transition in single-layer titanium diselenide. *Nat. Commun.* 6: 8943. <https://doi.org/10.1038/ncomms9943>.
- 249 Zhang, C., Johnson, A., Hsu, C.-L. et al. (2014). Direct imaging of band profile in single layer MoS₂ on graphite: quasiparticle energy gap, metallic edge states, and edge band bending. *Nano Lett.* 14: 2443–2447. <https://doi.org/10.1021/nl501133c>.
- 250 Chiu, M.-H., Zhang, C., Shiu, H.-W. et al. (2015). Determination of band alignment in the single-layer MoS₂/WSe₂ heterojunction. *Nat. Commun.* 6: 7666. <https://doi.org/10.1038/ncomms8666>.
- 251 Liu, H., Jiao, L., Yang, F. et al. (2014). Dense network of one-dimensional midgap metallic modes in monolayer MoSe₂ and their spatial undulations. *Phys. Rev. Lett.* 113: 066105. <https://doi.org/10.1103/PhysRevLett.113.066105>.
- 252 Lezama, I.G., Ubaldini, A., Longobardi, M. et al. (2014). Surface transport and band gap structure of exfoliated 2H-MoTe₂ crystals. *2D Materials* 1: 021002. <https://doi.org/10.1088/2053-1583/1/2/021002>.
- 253 Yankowitz, M., McKenzie, D., and LeRoy, B.J. (2015). Local spectroscopic characterization of spin and layer polarization in WSe₂. *Phys. Rev. Lett.* 115: 136803. <https://doi.org/10.1103/PhysRevLett.115.136803>.
- 254 Sørensen, S.G., Füchtbauer, H.G., Tuxen, A.K. et al. (2014). Structure and electronic properties of in situ synthesized single-layer MoS₂ on a gold surface. *ACS Nano* 8: 6788–6796. <https://doi.org/10.1021/nn502812n>.
- 255 Bradley, A.J., Ugeda, M.M., da Jornada, F.H. et al. (2015). Probing the role of interlayer coupling and coulomb interactions on electronic structure in few-layer MoSe₂ nanostructures. *Nano Lett.* 15: 2594–2599. <https://doi.org/10.1021/acs.nanolett.5b00160>.
- 256 Peng, W., Wang, H., Lu, H. et al. (2021). Recent progress on the scanning tunneling microscopy and spectroscopy study of semiconductor heterojunctions. *Small* 17: 2100655. <https://doi.org/10.1002/sml.202100655>.
- 257 Zhang, C., Li, M.-Y., Tersoff, J. et al. (2018). Strain distributions and their influence on electronic structures of WSe₂-MoS₂ laterally strained heterojunctions. *Nat. Nanotechnol.* 13: 152–158. <https://doi.org/10.1038/s41565-017-0022-x>.
- 258 Kobayashi, Y., Yoshida, S., Sakurada, R. et al. (2016). Modulation of electrical potential and conductivity in an atomic-layer semiconductor heterojunction. *Sci. Rep.* 6: 31223. <https://doi.org/10.1038/srep31223>.
- 259 Duerloo, K.-A.N., Ong, M.T., and Reed, E.J. (2012). Intrinsic piezoelectricity in two-dimensional materials. *J. Phys. Chem. Lett.* 3: 2871–2876. <https://doi.org/10.1021/jz3012436>.

- 260 Wu, W., Wang, L., Li, Y. et al. (2014). Piezoelectricity of single-atomic-layer MoS₂ for energy conversion and piezotronics. *Nature* 514: 470–474. <https://doi.org/10.1038/nature13792>.
- 261 Zhang, Z., Wang, Y., Watanabe, K. et al. (2020). Flat bands in twisted bilayer transition metal dichalcogenides. *Nat. Phys.* 16: 1093–1096. <https://doi.org/10.1038/s41567-020-0958-x>.
- 262 Li, H., Li, S., Naik, M.H. et al. (2021). Imaging moiré flat bands in three-dimensional reconstructed WSe₂/WS₂ superlattices. *Nat. Mater.* 20: 945–950. <https://doi.org/10.1038/s41563-021-00923-6>.
- 263 Shabani, S., Halbertal, D., Wu, W. et al. (2021). Deep moiré potentials in twisted transition metal dichalcogenide bilayers. *Nat. Phys.* 17: 720–725. <https://doi.org/10.1038/s41567-021-01174-7>.
- 264 Nieken, R., Roche, A., Mahdikhanyarvejahany, F. et al. (2022). Direct STM measurements of R-type and H-type twisted MoSe₂/WSe₂. *APL Mater.* 10: 031107. <https://doi.org/10.1063/5.0084358>.
- 265 Liu, Y., Qiu, Z., Carvalho, A. et al. (2017). Gate-tunable giant stark effect in few-layer black phosphorus. *Nano Lett.* 17: 1970–1977. <https://doi.org/10.1021/acs.nanolett.6b05381>.
- 266 Song, Z., Schultz, T., Ding, Z. et al. (2017). Electronic properties of a 1D intrinsic/p-doped heterojunction in a 2D transition metal dichalcogenide semiconductor. *ACS Nano* 11: 9128–9135. <https://doi.org/10.1021/acsnano.7b03953>.
- 267 Blades, W.H., Frady, N.J., Litwin, P.M. et al. (2020). Thermally induced defects on WSe₂. *J. Phys. Chem., C* 124: 15337–15346. <https://doi.org/10.1021/acs.jpcc.0c04440>.
- 268 Biadala, L., Peng, W., Lambert, Y. et al. (2019). Trap-free heterostructure of PbS nanoplatelets on InP(001) by chemical epitaxy. *ACS Nano* 13: 1961–1967. <https://doi.org/10.1021/acsnano.8b08413>.
- 269 Cheng, F., Hu, Z., Xu, H. et al. (2019). Interface engineering of Au(111) for the growth of 1T'-MoSe₂. *ACS Nano* 13: 2316–2323. <https://doi.org/10.1021/acsnano.8b09054>.
- 270 Lu, J., Bao, D.-L., Qian, K. et al. (2017). Identifying and visualizing the edge terminations of single-layer MoSe₂ island epitaxially grown on Au(111). *ACS Nano* 11: 1689–1695. <https://doi.org/10.1021/acsnano.6b07512>.
- 271 Lauritsen, J.V., Nyberg, M., Vang, R.T. et al. (2003). Chemistry of one-dimensional metallic edge states in MoS₂ nanoclusters. *Nanotechnology* 14: 385–389. <https://doi.org/10.1088/0957-4484/14/3/306>.
- 272 Bollinger, M.V., Lauritsen, J.V., Jacobsen, K.W. et al. (2001). One-dimensional metallic edge states in MoS₂. *Phys. Rev. Lett.* 87: 196803. <https://doi.org/10.1103/PhysRevLett.87.196803>.

- 273** Kang, S., Lee, D., Kim, J. et al. (2020). 2D semiconducting materials for electronic and optoelectronic applications: potential and challenge. *2D Materials* 7: 022003. <https://doi.org/10.1088/2053-1583/ab6267>.
- 274** Chen, Y.-C., Cao, T., Chen, C. et al. (2015). Molecular bandgap engineering of bottom-up synthesized graphene nanoribbon heterojunctions. *Nat. Nanotechnol.* 10: 156–160. <https://doi.org/10.1038/nnano.2014.307>.
- 275** Rizzo, D.J., Wu, M., Tsai, H.-Z. et al. (2019). Length-dependent evolution of type II heterojunctions in bottom-up-synthesized graphene nanoribbons. *Nano Lett.* 19: 3221–3228. <https://doi.org/10.1021/acs.nanolett.9b00758>.

