




Figure 1.9 (a) Crystal structure of NiO_x . Source: Reproduced from Goel et al. [75]/with permission of Elsevier. Copyright 2020, Elsevier. (b) Flow diagram for NiO films synthesis by sol-gel method. Source: Reproduced from Nalage et al. [80]/with permission of Elsevier.

References

- 1 Yu, X., Marks, T., and Facchetti, A. (2016). Metal oxides for optoelectronic applications. *Nat. Mater.* 15 (4): 383–396.
- 2 Karthikeyan, C., Arunachalam, P., Ramachandran, K. et al. (2020). Recent advances in semiconductor metal oxides with enhanced methods for solar photocatalytic applications. *J. Alloys Compd.* 828: 154281.
- 3 Valdes, A., Brillet, J., Gratzel, M. et al. (2012). Solar hydrogen production with semiconductor metal oxides: new directions in experiment and theory. *Phys. Chem. Chem. Phys.* 14 (1): 49–70.
- 4 Khan, M., Adil, S., and Al-Mayouf, A. (2015). Metal oxides as photocatalysts. *J. Saudi Chem. Soc.* 19 (5): 462–464.
- 5 Jose, R., Thavasi, V., and Ramakrishna, S. (2009). Metal oxides for dye-sensitized solar cells. *J. Am. Ceram. Soc.* 92 (2): 289–301.
- 6 Park, J., Maeng, W., Kim, H. et al. (2012). Review of recent developments in amorphous oxide semiconductor thin-film transistor devices. *Thin Solid Films* 520 (6): 1679–1693.

- 7 Mohammad, B., Jaoude, M., Kumar, V. et al. (2016). State of the art of metal oxide memristor devices. *Nanotechnol. Rev.* 5 (3): 311–329.
- 8 Barsan, N., Koziej, D., and Weimar, U. (2007). Metal oxide-based gas sensor research: how to? *Sens. Actuators, B* 121 (1): 18–35.
- 9 Ping, Y., Goddard, W., and Galli, G. (2015). Energetics and solvation effects at the photoanode/catalyst interface: ohmic contact versus schottky barrier. *J. Am. Chem. Soc.* 137 (16): 5264–5267.
- 10 Sun, Y., Yan, X., Zheng, X. et al. (2015). High on–off ratio improvement of ZnO-based forming-free memristor by surface hydrogen annealing. *ACS Appl. Mater. Interfaces* 7 (13): 7382–7388.
- 11 Afouxenidis, D., Mazzocco, R., Vourlias, G. et al. (2015). ZnO-based thin film transistors employing aluminum titanate gate dielectrics deposited by spray pyrolysis at ambient air. *ACS Appl. Mater. Interfaces* 7 (13): 7334–7341.
- 12 Wang, M., Han, J., Hu, Y. et al. (2016). Carbon-incorporated NiO/TiO₂ mesoporous shells with p-n heterojunctions for efficient visible light photocatalysis. *ACS Appl. Mater. Interfaces* 8 (43): 29511–29521.
- 13 Cho, I., Sim, Y., Cho, M. et al. (2020). Monolithic micro light-emitting diode/metal oxide nanowire gas sensor with microwatt-level power consumption. *ACS Sens.* 5 (2): 563–570.
- 14 Kaphle, A., Echeverria, E., McLlroy, D. et al. (2020). Enhancement in the performance of nanostructured CuO-ZnO solar cells by band alignment. *RSC Adv.* 10 (13): 7839–7854.
- 15 Szczuko, D., Werner, J., Oswald, S. et al. (2001). XPS investigations of surface segregation of doping elements in SnO₂. *Appl. Surf. Sci.* 179 (1–4): 301–306.
- 16 Kılıç, Ç. and Zunger, A. (2002). Origins of coexistence of conductivity and transparency in SnO₂. *Phys. Rev. Lett.* 88 (9): 095501.
- 17 Guo, D., Guo, Q., Chen, Z. et al. (2019). Review of Ga₂O₃-based optoelectronic devices. *Mater. Today Phys.* 11: 100157.
- 18 Hashimoto, K., Irie, H., and Fujishima, A. (2005). TiO₂ photocatalysis: a historical overview and future prospects. *Jpn. J. Appl. Phys.* 44 (12R): 8269–8285.
- 19 Klingshirn, C. (2007). ZnO: material, physics and applications. *ChemPhysChem* 8 (6): 782–803.
- 20 Wang, H. and Rogach, A. (2014). Hierarchical SnO₂ nanostructures: recent advances in design, synthesis, and applications. *Chem. Mater.* 26 (1): 123–133.
- 21 Lim, S., Hwang, S., Chang, D. et al. (2010). Preparation of mesoporous In₂O₃ nanofibers by electrospinning and their application as a CO gas sensor. *Sens. Actuators, B* 149 (1): 28–33.
- 22 Kastner, M., Birgeneau, R., Shirane, G. et al. (1998). Magnetic, transport, and optical properties of monolayer copper oxides. *Rev. Mod. Phys.* 70 (3): 897–928.
- 23 Saji, K., Venkata, S.Y., Tian, K. et al. (2016). P-type SnO thin films and SnO/ZnO heterostructures for all-oxide electronic and optoelectronic device applications. *Thin Solid Films* 605: 193–201.

- 24 Silva, V., Simões, T., Grilo, J. et al. (2020). Impact of the NiO nanostructure morphology on the oxygen evolution reaction catalysis. *J. Mater. Sci.* 55: 6648–6659.
- 25 Huang, F., Lin, Z., Lin, W. et al. (2014). Research progress in ZnO single-crystal: growth, scientific understanding, and device applications. *Chin. Sci. Bull.* 59: 1235–1250.
- 26 Wang, Z. (2004). Zinc oxide nanostructures: growth, properties and applications. *J. Phys. Condens. Matter* 16 (25): 829–858.
- 27 Janotti, A. and Van de Walle, C. (2009). Fundamentals of zinc oxide as a semiconductor. *Rep. Prog. Phys.* 72 (12): 126501.
- 28 Wang, Z. (2007). Novel nanostructures of ZnO for nanoscale photonics, optoelectronics, piezoelectricity, and sensing. *Appl. Phys. A* 88: 7–15.
- 29 Harun, K., Hussain, F., Purwanto, A. et al. (2017). Sol–gel synthesized ZnO for optoelectronics applications: a characterization review. *Mater. Res. Express* 4 (12): 122001.
- 30 Tian, C., Zhang, Q., Wu, A. et al. (2012). Cost-effective large-scale synthesis of ZnO photocatalyst with excellent performance for dye photodegradation. *Chem. Commun.* 48 (23): 2858–2860.
- 31 Hsiao, C., Hu, Y., Chang, R. et al. (2009). Residual stresses and mechanical properties of a ZnO pyroelectric sensor. *Theor. Appl. Fract. Mech.* 52 (1): 1–6.
- 32 Dhiman, P., Rana, G., Kumar, A. et al. (2022). ZnO-based heterostructures as photocatalysts for hydrogen generation and depollution: a review. *Environ. Chem. Lett.* 20: 1047–1081.
- 33 Yi, G., Wang, C., and Park, W. (2005). ZnO nanorods: synthesis, characterization and applications. *Semicond. Sci. Technol.* 20 (4): 22.
- 34 Akgul, F., Gumus, C., Er, A. et al. (2013). Structural and electronic properties of SnO₂. *J. Alloys Compd.* 579: 50–56.
- 35 Das, S. and Jayaraman, V. (2014). SnO₂: a comprehensive review on structures and gas sensors. *Prog. Mater. Sci.* 66: 112–255.
- 36 El-Etre, A. and Reda, S. (2010). Characterization of nanocrystalline SnO₂ thin film fabricated by electrodeposition method for dye-sensitized solar cell application. *Appl. Surf. Sci.* 256 (22): 6601–6606.
- 37 Kar, A., Sain, S., Kundu, S. et al. (2015). Influence of size and shape on the photocatalytic properties of SnO₂ nanocrystals. *ChemPhysChem* 16 (5): 1017–1025.
- 38 Srivastava, A. (2003). Detection of volatile organic compounds (VOCs) using SnO₂ gas-sensor array and artificial neural network. *Sens. Actuators, B* 96 (1–2): 24–37.
- 39 Yadava, Y., Denicoló, G., Arias, A. et al. (1997). Preparation and characterization of transparent conducting tin oxide thin film electrodes by chemical vapour deposition from reactive thermal evaporation of SnCl₂. *Mater. Chem. Phys.* 48 (3): 263–267.
- 40 Gracia, L., Beltrán, A., and Andrés, J. (2007). Characterization of the high-pressure structures and phase transformations in SnO₂. A density functional theory study. *J. Phys. Chem. B* 111 (23): 6479–6485.

- 41 Spencer, J., Mock, A., Jacobs, A. et al. (2022). A review of band structure and material properties of transparent conducting and semiconducting oxides: Ga_2O_3 , Al_2O_3 , In_2O_3 , ZnO , SnO_2 , CdO , NiO , CuO , and Sc_2O_3 . *Appl. Phys. Rev.* 9 (1): 011315.
- 42 Zhang, K., Lazarov, V., Galindo, P. et al. (2012). Domain matching epitaxial growth of In_2O_3 thin films on $\alpha\text{-Al}_2\text{O}_3(0001)$. *Cryst. Growth Des.* 12 (2): 1000–1007.
- 43 Roy, P., Berger, S., and Schmuki, P. (2011). TiO_2 nanotubes: synthesis and applications. *Angew. Chem. Int. Ed. Engl.* 50 (13): 2904–2939.
- 44 Chen, X. and Selloni, A. (2014). Introduction: titanium dioxide (TiO_2) nanomaterials. *Chem. Rev.* 114 (19): 9281–9282.
- 45 Siegel, R., Ramasamy, S., Hahn, H. et al. (2011). Synthesis, characterization, and properties of nanophase TiO_2 . *J. Mater. Res.* 3 (6): 1367–1372.
- 46 Kusior, A., Banas, J., Trenczek-Zajac, A. et al. (2018). Structural properties of TiO_2 nanomaterials. *J. Mol. Struct.* 1157: 327–336.
- 47 Garzella, C., Comini, E., Tempesti, E. et al. (2000). TiO_2 thin films by a novel sol-gel processing for gas sensor applications. *Sens. Actuators, B* 68 (1–3): 189–196.
- 48 Wang, Z., Yamaguchi, T., Sugihara, H. et al. (2005). Significant efficiency improvement of the black dye-sensitized solar cell through protonation of TiO_2 films. *Langmuir* 21 (10): 4272–4276.
- 49 Nakata, K. and Fujishima, A. (2012). TiO_2 photocatalysis: design and applications. *J. Photochem. Photobiol. C* 13 (3): 169–189.
- 50 Bai, J. and Zhou, B. (2014). Titanium dioxide nanomaterials for sensor applications. *Chem. Rev.* 114 (19): 10131–10176.
- 51 Macwan, D., Dave, P., and Chaturvedi, S. (2011). A review on nano- TiO_2 sol-gel type syntheses and its applications. *J. Mater. Sci.* 46: 3669–3686.
- 52 Linsebigler, A., Lu, G., and Yates, J. (1995). Photocatalysis on TiO_2 surfaces: principles, mechanisms, and selected results. *Chem. Rev.* 95 (3): 735–758.
- 53 Zhang, J., Shi, J., Qi, D. et al. (2020). Recent progress on the electronic structure, defect, and doping properties of Ga_2O_3 . *APL Mater.* 8 (2): 020906.
- 54 Pearton, S., Yang, J., Cary, P. et al. (2018). A review of Ga_2O_3 materials, processing, and devices. *Appl. Phys. Rev.* 5 (1): 011301.
- 55 Higashiwaki, M., Sasaki, K., Murakami, H. et al. (2016). Recent progress in Ga_2O_3 power devices. *Semicond. Sci. Technol.* 31 (3): 034001.
- 56 Zhang, M., Kang, S., Wang, L. et al. (2021). Facile synthesis of $\beta\text{-Ga}_2\text{O}_3$ nanowires network for solar-blind ultraviolet photodetector. *J. Phys. D: Appl. Phys.* 54 (17): 175106.
- 57 Ping, L., Berhanuddin, D., Mondal, A. et al. (2021). Properties and perspectives of ultrawide bandgap Ga_2O_3 in optoelectronic applications. *Chin. J. Phys.* 73: 195–212.
- 58 Galazka, Z. (2018). $\beta\text{-Ga}_2\text{O}_3$ for wide-bandgap electronics and optoelectronics. *Semicond. Sci. Technol.* 33 (11): 113001.
- 59 Liang, H., Cui, S., Su, R. et al. (2018). Flexible X-ray detectors based on amorphous Ga_2O_3 thin films. *ACS Photonics* 6 (2): 351–359.

- 60 Wang, C., Zhang, J., Xu, S. et al. (2021). Progress in state-of-the-art technologies of Ga_2O_3 devices. *J. Phys. D: Appl. Phys.* 54 (24): 243001.
- 61 Gupta, D., Meher, S., Illyaskutty, N. et al. (2018). Facile synthesis of Cu_2O and CuO nanoparticles and study of their structural, optical and electronic properties. *J. Alloys Compd.* 743: 737–745.
- 62 Wang, Z., Nayak, P., Caraveo-Frescas, J. et al. (2016). Recent developments in p-type oxide semiconductor materials and devices. *Adv. Mater.* 28 (20): 3831–3892.
- 63 Al-Jawhari, H. (2015). A review of recent advances in transparent p-type Cu_2O -based thin film transistors. *Mater. Sci. Semicond. Process.* 40: 241–252.
- 64 Teng, F., Hu, K., Ouyang, W. et al. (2018). Photoelectric detectors based on inorganic p-type semiconductor materials. *Adv. Mater.* 30 (35): 1706262.
- 65 Kim, H. and Lee, J. (2014). Highly sensitive and selective gas sensors using p-type oxide semiconductors: overview. *Sens. Actuators, B* 192: 607–627.
- 66 Zhang, Q., Zhang, K., Xu, D. et al. (2014). CuO nanostructures: synthesis, characterization, growth mechanisms, fundamental properties, and applications. *Prog. Mater. Sci.* 60: 208–337.
- 67 Grigore, M., Biscu, E., Holban, A. et al. (2016). Methods of synthesis, properties and biomedical applications of CuO nanoparticles. *Pharmaceuticals* 9 (4): 75.
- 68 Allen, J., Scanlon, D., Piper, L. et al. (2013). Understanding the defect chemistry of tin monoxide. *J. Mater. Chem. C* 1 (48): 8194–8208.
- 69 Singh, M., Gaspera, E., Ahmed, T. et al. (2017). Soft exfoliation of 2D SnO with size-dependent optical properties. *2D Mater.* 4 (2): 025110.
- 70 Eqbal, E. and Anila, E. (2018). Properties of transparent conducting tin monoxide(SnO) thin films prepared by chemical spray pyrolysis method. *Physica B* 528: 60–65.
- 71 Yabuta, H., Kaji, N., Hayashi, R. et al. (2010). Sputtering formation of p-type SnO thin-film transistors on glass toward oxide complimentary circuits. *Appl. Phys. Lett.* 97 (7): 072111.
- 72 Suman, P., Felix, A., Tuller, H. et al. (2015). Comparative gas sensor response of SnO_2 , SnO and Sn_3O_4 nanobelts to NO_2 and potential interferents. *Sens. Actuators, B* 208: 122–127.
- 73 Mokoena, T., Swart, H., and Motaung, D. (2019). A review on recent progress of p-type nickel oxide based gas sensors: future perspectives. *J. Alloys Compd.* 805: 267–294.
- 74 Varghese, B., Reddy, M., Yanwu, Z. et al. (2008). Fabrication of NiO nanowall electrodes for high performance lithium ion battery. *Chem. Mater.* 20 (10): 3360–3367.
- 75 Goel, R., Jha, R., and Ravikant, C. (2020). Investigating the structural, electrochemical, and optical properties of p-type spherical nickel oxide (NiO) nanoparticles. *J. Phys. Chem. Solids* 144: 109488.
- 76 Kaviyarasu, K., Manikandan, E., Kennedy, J. et al. (2016). Synthesis and characterization studies of NiO nanorods for enhancing solar cell efficiency using photon upconversion materials. *Ceram. Int.* 42 (7): 8385–8394.

- 77 Kate, R., Khalate, S., and Deokate, R. (2018). Overview of nanostructured metal oxides and pure nickel oxide (NiO) electrodes for supercapacitors: a review. *J. Alloys Compd.* 734: 89–111.
- 78 Wu, J., Huang, Y., Xia, Q. et al. (2013). Decomposition of toluene in a plasma catalysis system with NiO, MnO₂, CeO₂, Fe₂O₃, and CuO catalysts. *Plasma Chem. Plasma Process.* 33: 1073–1082.
- 79 Zhou, Q., Lu, Z., Wei, Z. et al. (2018). Hydrothermal synthesis of hierarchical ultrathin NiO nanoflakes for high-performance CH₄ sensing. *Front. Chem.* 6: 194.
- 80 Nalage, S., Chougule, M., Sen, S. et al. (2012). Sol–gel synthesis of nickel oxide thin films and their characterization. *Thin Solid Films* 520 (15): 4835–4840.

