

- 17 Gao, Y., Romero, P., Zhang, H.L. et al. (2019). Unsaturated polyester resin concrete: a review. *Construction and Building Materials* 228: 116709.
- 18 Poorabdollah, M. and Kamran, A. (2019). Optimising cure cycle of unsaturated polyester nanocomposites using directed grid search method. *Polymers and Polymer Composites* 27 (5): 253–261.
- 19 Zong, D., Zhang, Y., Chen, J., and Liu, Y. (2021). Influencing factors in low temperature curing shrinkage of unsaturated polyester resin. *Journal of Materials Science and Engineering* 39 (1): 77–81. 100.
- 20 Llevot, A., Grau, E., Carlotti, S. et al. (2016). From lignin-derived aromatic compounds to novel biobased polymers. *Macromolecular Rapid Communications* 37 (1): 9–28.
- 21 Luo, X., Liu, S., and Zhao, J. (2021). Research progress in low dielectric loss epoxy resin composites. *China Plastics* 35 (3): 130–138.
- 22 Mi, X.Q., Liang, N., Xu, H.F. et al. (2022). Toughness and its mechanisms in epoxy resins. *Progress in Materials Science* 130: 100977.
- 23 Muller-Pabel, M., Agudo, J.A.R., and Gude, M. (2022). Measuring and understanding cure-dependent viscoelastic properties of epoxy resin: a review. *Polymer Testing* 114: 107701.
- 24 Wang, Y.N., Liu, J., and Han, X. (2018). Research progress and application of phenolic resin-based prepreg. *New Chemical Materials* 46 (7): 269–272.
- 25 Cao, Y., Li, X., Li, Y. et al. (2020). Properties of high silica glass fiber/phenolic composites by soft molding. *Aerospace Materials & Technology* 50 (2): 99–102.
- 26 Guo, Y., Hu, L., and Zhou, Y. (2018). Research progress on phenolic resin modified with silicon. *New Chemical Materials* 46 (10): 5–9.
- 27 Tong, Y., Li, L., Liu, H. et al. (2019). Research progress on high temperature resistant resins. *Thermosetting Resin* 34 (3): 51–54. 60.
- 28 Xue, S., Lei, X., Lian, R. et al. (2021). Progress of high-performance thermosetting polyimide resins. *Polymer Materials Science & Engineering* 37 (5): 149–162.
- 29 Li, X.T., Liu, T., Jiao, Y.Z. et al. (2019). Novel high-performance poly(benzoxazole-co-imide) resins with low dielectric constants and superior thermal stabilities derived from thermal rearrangement of ortho-hydroxy polyimide oligomers. *Chemical Engineering Journal* 359: 641–651.
- 30 Sun, G., Zhang, X., Wu, D., and Hou, L. (2021). Research progress in high-performance polyimide composites. *China Plastics* 35 (9): 147–155.
- 31 Wu, T., Fang, Y.T., Dong, J. et al. (2021). Synthesis and properties of polyimide resin containing acetylene and benzoxazine double crosslinking moieties. *Chemical Journal of Chinese Universities* 42 (6): 1978–1986.
- 32 Huang, X., Peng, X., Liu, R. et al. (2021). The progress of low dielectric constant modified polyimide materials. *Journal of Functional Materials* 52 (5): 5018–5024.
- 33 Iredale, R.J., Ward, C., and Hamerton, I. (2017). Modern advances in bis-maleimide resin technology: a 21st century perspective on the chemistry of addition polyimides. *Progress in Polymer Science* 69: 1–21.
- 34 Ma, X., Guo, Y., and Zhang, Y. (2019). Research progress of ablative resins for RTM. *Thermosetting Resin* 34 (1): 66–70.

- 35 Mao, Y.M., Yao, Z.J., Zhou, J.T. et al. (2020). Fabrication and investigations on BMI/OMMT nanocomposites with superior high-temperature wave-transparent performance. *Journal of Materials Science: Materials in Electronics* 31 (18): 16073–16086.
- 36 Liu, B., Yang, L., Li, F. et al. (2020). Research on properties of bis-maleimide/T700 carbon fiber resin composite. *Engineering Plastics Application* 48 (11): 117–120.
- 37 Wen, Y., Li, B., He, Y. et al. (2018). Study on the curing reaction kinetics of modified bismaleimide resin. *China Plastics Industry* 46 (12): 22–26.
- 38 Zhang, Z.W., Tian, D., Niu, Z.Q. et al. (2021). Enhanced toughness and lowered dielectric loss of reactive POSS modified bismaleimide resin as well as the silica fiber reinforced composites. *Polymer Composites* 42 (12): 6900–6911.
- 39 Guan, S.J., Wu, F., Wu, Q. et al. (2021). Modification of silicone resins by Si-N cross-dehydrocoupling with perfect thermal stability and mechanical performance. *New Journal of Chemistry* 45 (35): 15892–15900.
- 40 Liu, Y., Chen, Z.X., Qin, Y.S. et al. (2020). Silicone resin-based composite materials for high thermal stability and thermal conductivity. *Journal of Electronic Materials* 49 (7): 4379–4384.
- 41 Zheng, J.Y., Cai, Y.Q., Hu, Y. et al. (2022). Bio-based epoxy functionalized MQ silicone resins: from synthesis to toughened epoxy composites with good mechanical properties, thermal resistance and transparency. *Polymer Chemistry* 13 (37): 5325–5336.
- 42 Huang, C., Zheng, C., Zheng, G. et al. (2020). Preparation and application of silicone resin based wear-resistant composite fiber material. *New Chemical Materials* 48 (1): 245–249.
- 43 Ling, Y.Q., Zhang, X.Q., Yan, L.W. et al. (2022). Silicone-grafted epoxy/carbon fiber composites with superior mechanical/ablation performance. *Materials Chemistry and Physics* 275.
- 44 Zhu, Q.Q., Wang, Z.H., Zeng, H. et al. (2021). Effects of graphene on various properties and applications of silicone rubber and silicone resin. *Composites Part A: Applied Science and Manufacturing* 142: 106240.
- 45 Pan, C., Kou, K., Jia, Q. et al. (2017). Improved thermal conductivity and dielectric properties of hBN/PTFE composites via surface treatment by silane coupling agent. *Composites Part B: Engineering* 111: 83–90.
- 46 Zheng, L., Zhou, J., Shen, J. et al. (2019). Effects on the thermal expansion coefficient and dielectric properties of CLST/PTFE filled with modified glass fiber as microwave material. *Chinese Chemical Letters* 30 (5): 1111–1114.
- 47 Jiang, Z. and Yuan, Y. (2018). Effects of particle size distribution of silica on properties of PTFE/SiO₂ composites. *Materials Research Express* 5 (6): 066306.
- 48 Li, X. and Ge, Z. (2020). A review on PTFE composites filled with inorganic materials. *China Plastics* 34 (1): 92–101.
- 49 Wang, L., Jin, X., Wu, C., and Zhang, L. (2021). Effect of glass fiber on properties of PTFE/SiO₂ composite substrate. *Engineering Plastics Application* 49 (1): 130–134.

- 50 Chen, X., Li, Y., Chen, J. et al. (2018). Research progress in unsaturated polyester resin modified by inorganic nanoparticles. *China Plastics* 32 (3): 1–5.
- 51 Liu, C. and Zhou, Y. (2020). Progress in oil-based unsaturated polyester resins. *Chemistry and Industry of Forest Products* 40 (6): 107–117.
- 52 Sapuan, S.M., Aulia, H.S., Ilyas, R.A. et al. (2020). Mechanical properties of longitudinal basalt/woven-glass-fiber-reinforced unsaturated polyester-resin hybrid composites. *Polymers* 12 (10): 2211.
- 53 Farsane, M., Lhasnaoui, S., Anouar, A. et al. (2022). A review of measuring the gelation time in unstrated polyester resins. *Materials and Technologies* 56 (3): 323–329.
- 54 Moujдин, I.A., Totah, H.S., Abulkhair, H.A. et al. (2022). Development of low shrinkage curing techniques for unsaturated polyester and vinyl ester reinforced composites. *Materials* 15 (9): 2972.
- 55 Wu, S., Liu, J., Shao, C. et al. (2020). Application of UPR in solid propellant inhibitor. *New Chemical Materials* 48 (3): 6–8.
- 56 Chen, M.Z., Wang, X.J., Zhang, J., and Zhu, J.J. (2022). Synergistic action of initiator and accelerator on curing thermodynamics and kinetics of chopped carbon fiber-reinforced low-density unsaturated polyester resin with rapid polymerization. *Journal of Thermal Analysis and Calorimetry* 147: 14195–14199.
- 57 Delaite, C., Bistac, S., Dreyer, E., and Schuller, A.S. (2020). Influence of initiator on the curing of unsaturated polyester resin at 100°C. *Polymer International* 69 (11): 1089–1096.
- 58 Han, D., Cao, H., Chen, J. et al. (2018). Study on the UV-curing behavior of unsaturated polyester resin by in-situ Fourier transform infrared. *Thermosetting Resin* 33 (5): 9–14.
- 59 Chen, S., Yuan, L., Wang, Z.H. et al. (2019). Self-constructed nanodomain structure in thermosetting blend based on the dynamic reactions of cyanate ester and epoxy resins and its related property. *Composites Part B: Engineering* 177: 107438.
- 60 Jayalakshmi, C.G., Salunke, A.D., Joshi, M. et al. (2022). Cyanate ester- epoxy blends toward microwave transparent polymer composites through resin film infusion for wideband electromagnetic applications. *Polymer-Plastics Technology and Materials* 61 (2): 145–160.
- 61 Zhang, X., Wang, F., Zhu, Y., and Qi, H. (2021). Preparation and property of modified cyanate ester resin. *New Chemical Materials* 49 (6): 164–170.
- 62 Li, C.P. and Chuang, C.M. (2021). Thermal and dielectric properties of cyanate ester cured main chain rigid-rod epoxy resin. *Polymers* 13 (17): 2917.
- 63 Qiao, H., Bao, J., Zhong, X. et al. (2019). Modification and thermal analysis for curing properties of cyanate-ester resin. *Journal of Aeronautical Materials* 39 (6): 63–72.
- 64 Wang, Z.C., Li, R.J., Qin, Q.R. et al. (2022). Curing kinetics and mechanical properties of cyanate ester/hyperbranched benzoxazine copolymers. *Polymers for Advanced Technologies* 33 (5): 1606–1616.

- 65 Zhou, Y.J., Zhang, Z.W., Wang, P.R., and Ma, X.Y. (2022). High-performance and low-dielectric cyanate ester resin optimized by regulating the structure of linear polyhydroxy ether modifier. *Composites Part A: Applied Science and Manufacturing* 162: 107136.
- 66 Lu, Y., Dang, Z., and Cao, F. (2021). Preparation and flame retardancy of glass fiber reinforced polypropylene composite. *Plastics* 50 (2): 15–18.
- 67 Praneeth, A., Kumar, K., Pramod, R., and Kumar, G.B.V. (2019). Investigation of mechanical properties of glass fibre reinforced honeycomb panels. In: *International Conference on advances in Materials and Manufacturing Applications*.
- 68 Zhang, Y., Zhang, L., Tao, Y. et al. (2018). Effects of laser ablation on electric properties of quartz fiber/cyanate resin wave-transmitting composite. *Acta Materiae Compositae Sinica* 35 (11): 3001–3007.
- 69 Dai, Y., Meng, C.B., Cheng, Z. et al. (2019). Nondestructive modification of aramid fiber based on selective reaction of external cross-linker to improve interfacial shear strength and compressive strength. *Composites Part A: Applied Science and Manufacturing* 119: 217–224.
- 70 Zhao, Y., Li, X., Shen, J.N. et al. (2020). The potential of Kevlar aramid nanofiber composite membranes. *Journal of Materials Chemistry A* 8 (16): 7548–7568.
- 71 Chen, M., Lin, H., Yang, C., and Li, L. (2022). Research progress on modification of ultra high molecular weight polyethylene (UHMWPE) fiber. *Applied Chemical Industry* 51 (2): 520–524.
- 72 Chhetri, S. and Bougherara, H. (2021). A comprehensive review on surface modification of UHMWPE fiber and interfacial properties. *Composites Part A: Applied Science and Manufacturing* 140: 106146.
- 73 Chin, J., Forster, A., Clerici, C. et al. (2007). Temperature and humidity aging of poly (p-phenylene-2,6-benzobisoxazole) fibers: chemical and physical characterization. *Polymer Degradation and Stability* 92 (7): 1234–1246.
- 74 Kuroki, T., Tanaka, Y., Hokudoh, T., and Yabuki, K. (1997). Heat resistance properties of poly(p-phenylene-2,6-benzobisoxazole) fiber. *Journal of Applied Polymer Science* 65 (5): 1031–1036.
- 75 Al-Furjan, M.S.H., Shan, L., Shen, X. et al. (2022). A review on fabrication techniques and tensile properties of glass, carbon, and Kevlar fiber reinforced polymer composites. *Journal of Materials Research and Technology* 19: 2930–2959.
- 76 Naito, K. (2022). Static and fatigue tensile properties of carbon/glass hybrid fiber-reinforced epoxy composites. *Scientific Reports* 12 (1): 6298.
- 77 Cho, K., Wang, G.N., Raju, R. et al. (2019). Influence of surface treatment on the interfacial and mechanical properties of short s-glass fiber reinforced dental composites. *ACS Applied Materials & Interfaces* 11 (35): 32328–32338.
- 78 Xiong, Q., Liu, Z., Chen, W., and Yan, C. (2021). Study on the performance of glass fiber used for superconducting magnet insulation before and after vacuum heat treatment process. *Chinese Journal of Vacuum Science and Technology* 41 (8): 756–760.

- 79 Yeon, J., Chowdhury, S.C., and Gillespie, J.W. (2022). Mechanical properties and damage analysis of S-glass: a reactive molecular dynamics study. *Composites Part B: Engineering* 234: 109706.
- 80 Chen, C., Zhu, Q.O., Wang, H.P. et al. (2022). Excellent mechanical properties of the silicate glasses modified by CeO_2 and TiO_2 : a new choice for high-strength and high-modulus glass fibers. *Silicon* 14 (8): 4301–4308.
- 81 Liu, K., Chen, B., Dai, J., and Zhu, S. (2010). Effect of environment factors on properties of glass fiber reinforced epoxy resin wave-transparent composites. *The Journal of Engineering Plastics Application* 38 (10): 64–67.
- 82 Feng, Z., Li, J., Zuo, X. et al. (2021). Progress of composite materials for aerospace applications. *Aerospace Materials & Technology* 51 (4): 23–28.
- 83 Zhang, S., Luo, L., Ding, L. et al. (2021). Effect of acid leaching on structure and properties of high silica glass fibers. *Journal of the Chinese Ceramic Society* 49 (8): 1543–1549.
- 84 Kong, L.M., Zheng, W., Wang, X.B. et al. (2021). Effects of layering types and fiber off-axis angle on the mechanical properties of s-glass-fiber-reinforced composites. *Mechanics of Composite Materials* 57 (4): 551–562.
- 85 Zurowski, W., Zepchlo, J., Krzyzak, A. et al. (2022). Effect of the quartz powder on the performance of the two layers glass fiber reinforced polymer composite with emulsion binder. *Composite Structures* 298: 116024.
- 86 Cui, G., Cheng, Y., Liu, C. et al. (2020). Massive growth of graphene quartz fiber as a multifunctional electrode. *ACS Nano* 14 (5): 5938–5945.
- 87 Kong, G., Wang, K., Yu, Q. et al. (2022). Properties of aerogel modified quartz fiber reinforced silicone wave-transparent composites. *Acta Armamentarii* 43 (2): 442–450.
- 88 Wang, X., Yang, S., Li, G. et al. (2021). Research on mechanical properties of carbon/quartz hybrid fiber composite. *China Plastics Industry* 49 (7): 87–90.
- 89 Liu, Y.L., Ye, L., Shu, Y., and Zhao, X.W. (2018). In situ preparation of intrinsic flame retardant urea formaldehyde/aramid fiber composite foam: structure, property and reinforcing mechanism. *Composites Part A: Applied Science and Manufacturing* 115: 274–282.
- 90 Li, L., Han, L., Wang, S. et al. (2022). Research progress on surface modification and interfacial properties of UHMWPE fiber. *Journal of Functional Materials* 53 (4): 012016.
- 91 Liu, Z., Fan, X.L., Zhang, J.L. et al. (2021). Improving the comprehensive properties of PBO fibres/cyanate ester composites using a hyperbranched fluorine and epoxy containing PBO precursor. *Composites Part A: Applied Science and Manufacturing* 150: 106596.
- 92 Ni, X.Y., Feng, H., Li, L.H. et al. (2021). A novel poly(p-phenylene benzobisoxazole) (PBO)-based three-phase silk-cocoon network structure nanocomposites with enhanced dielectric properties. *Journal of Materials Science: Materials in Electronics* 32 (6): 7574–7586.
- 93 Lv, J.W., Yin, J.Y., Qin, Y.T. et al. (2021). Post-construction of weaving structure in aramid fiber towards improvements of its transverse properties. *Composites Science and Technology* 208: 108780.

- 94 Priyanka, P., Dixit, A., and Mali, H.S. (2019). High strength Kevlar fiber reinforced advanced textile composites. *Iranian Polymer Journal* 28 (7): 621–638.
- 95 Zhang, B., Jia, L.H., Tian, M. et al. (2021). Surface and interface modification of aramid fiber and its reinforcement for polymer composites: a review. *European Polymer Journal* 147: 110352.
- 96 Sharma, P., Mali, H.S., and Dixit, A. (2021). Mechanical behavior and fracture toughness characterization of high strength fiber reinforced polymer textile composites. *Iranian Polymer Journal* 30 (2): 193–233.
- 97 Dayyoub, T., Maksimkin, A.V., Senatov, F.S. et al. (2020). Treating UHMWPE surface for enhancing the adhesion properties by cellulose grafting. *International Journal of Adhesion and Adhesives* 98: 102535.
- 98 Wang, H.Q., Quan, J.Y., Wang, X.W. et al. (2021). The effect of shrinkage on the structure and properties of ultra-high molecular weight polyethylene fibers with different concentration. *Journal of Applied Polymer Science* 138 (15): e50198.
- 99 Wang, X., Zhang, Y., Sun, Y. et al. (2020). Research progress of ultra high molecular weight polyethylene. *Chemical Industry and Engineering Progress* 39 (9): 3403–3420.
- 100 Shang, Q., Zhao, H., Zhao, N. et al. (2020). Research progress on surface modification of ultra-high molecular weight polyethylene fiber. *Polymer Bulletin* 4: 22–29.
- 101 Tang, L., Guo, Z., Lei, S. et al. (2019). Advances in ultra-high molecular weight polyethylene for the production of fiber. *Petrochemical Technology* 48 (8): 864–870.
- 102 Song, B., Liu, Z.D., Chen, L. et al. (2022). Enhancing interfacial adhesion and mechanical performance of PBO fibers composites through mussel-inspired molecular regulation of interphase structure. *Polymer Composites* 43 (1): 454–466.
- 103 Naveen, J., Jayakrishna, K., Sultan, M.T.B., and Amir, S.M.M. (2020). Ballistic performance of natural fiber based soft and hard body armour: a mini review. *Frontiers in Materials* 7: 608139.
- 104 Chen, Y., Zhang, C., and Chen, P. (2021). Surface graft modification of domestic PBO fiber by atmospheric air plasma. *Chinese Journal of Materials Research* 35 (9): 641–650.
- 105 Chen, F., Zhang, M., Chen, L. et al. (2020). Anti-ultraviolet aging property and functionality enhancement of poly(p-phenylene benzobisoxazole) fiber coated with polydopamine. *Polymer Materials Science & Engineering* 36 (5): 153–160.
- 106 Liu, Z., Chen, B., and Chen, P. (2020). Treatment of oxygen dielectric barrier discharge plasma on PBO fiber surface and influence on its BMI composites. *Chinese Journal of Materials Research* 34 (2): 109–117.
- 107 Zeng, J., Kong, H., Du, X. et al. (2021). Surface modification of PBO fibers with 2,2-Bis (3-amino-4-hydroxyphenyl) hexafluoropropane in supercritical carbon dioxide for enhancing interfacial strength. *Materials Today Chemistry* 20: 100426.
- 108 Zheng, L.H., Yuan, L., Liang, G.Z., and Gu, A.J. (2019). An in situ (K_{0.5}Na_{0.5})NbO₃-doped barium titanate foam framework and its cyanate ester

- resin composites with temperature-stable dielectric properties and low dielectric loss. *Materials Chemistry Frontiers* 3 (4): 726–736.
- 109 Wen, Y., Meng, X., Fan, W. et al. (2019). Study on polyimide fiber reinforced resin matrix composites. *New Chemical Materials* 47 (1): 57–61.
 - 110 Yuan, Y., Diao, S., Zhao, C.D. et al. (2020). Preparation of hollow glass microsphere/organic silicone resin composite material with low dielectric constant by in-situ polymerization. *Silicon* 12 (6): 1417–1423.
 - 111 Li, W.C., Huang, W., Kang, Y. et al. (2019). Fabrication and investigations of G-POSS/cyanate ester resin composites reinforced by silane-treated silica fibers. *Composites Science and Technology* 173: 7–14.
 - 112 Meinders, R., Murphy, D., Taylor, G. et al. (2021). Development of fiber-reinforced transparent composites. *Polymers & Polymer Composites* 29 (9): S826–S834.
 - 113 Liao, L., Peng, Z., Zhang, M., and Ruan, W. (2021). Research progress of low dielectric polymers for high-frequency printed circuit boards. *Journal of Functional Polymers* 34 (4): 320–335.
 - 114 Martin, S.J., Godschalx, J.P., Mills, M.E. et al. (2000). Development of a low-dielectric-constant polymer for the fabrication of integrated circuit interconnect. *Advanced Materials* 12 (23): 1769–1778.
 - 115 Wang, L., Yang, J., Cheng, W.H. et al. (2021). Progress on polymer composites with low dielectric constant and low dielectric loss for high-frequency signal transmission. *Frontiers in Materials* 8: 774843.
 - 116 Huan, X., Shi, K., Yan, J. et al. (2020). High performance epoxy composites prepared using recycled short carbon fiber with enhanced dispersibility and interfacial bonding through polydopamine surface-modification. *Composites Part B: Engineering* 193: 107987.
 - 117 Meireman, T., Daelemans, L., Rijckaert, S. et al. (2020). Delamination resistant composites by interleaving bio-based long-chain polyamide nanofibers through optimal control of fiber diameter and fiber morphology. *Composites Science and Technology* 193: 108126.
 - 118 Qi, Q., Zheng, P., Lei, Y., and Liu, X. (2019). Design of bi-modal pore structure polyarylene ether nitrile/SiO₂ foams with ultralow-k dielectric and wave transparent properties by supercritical carbon dioxide. *Composites Part B: Engineering* 173: 106915.
 - 119 Yin, X.W., Cheng, L.F., Zhang, L.T. et al. (2017). Fibre-reinforced multifunctional SiC matrix composite materials. *International Materials Review* 62 (3): 117–172.
 - 120 Zhang, C.L., Ye, F., Cheng, L.F. et al. (2021). Electromagnetic wave-transparent porous silicon nitride ceramic prepared by gel-casting combined with in-situ nitridation reaction. *Journal of the European Ceramic Society* 41 (15): 7620–7629.
 - 121 Zhang, N.X., Jiang, H., Bai, M. et al. (2018). An exploration of finite frequency selective surface fringe effect to wave-transparent mechanism. In: *2018 International Applied Computational Electromagnetics Society Symposium in China (ACES-CHINA 2018)*.

- 122 Yin, J., Ma, W., Gao, Z. et al. (2022). An electromagnetic wave-transparent model based on plain fabric structural features. *Textile Research Journal* (8): 00405175221123064.
- 123 Yuan, H., Meng, Q., Zhang, H. et al. (2021). Preparation and properties of novel silicon-containing polyarylacetylene resin based wave-transparent composite. *Acta Materiae Compositae Sinica* 38 (11): 3629–3639.
- 124 Zhang, T., Sun, S., Cai, J.Q. et al. (2020). A new precursor to lightweight porous Si-Al-O-B ceramics with enhanced microwave transmissivity. *Ceramics International* 46 (2): 1974–1981.
- 125 Jiang, W.X., Zhang, X.H., Chen, D. et al. (2021). High performance low-k and wave-transparent cyanate ester resins modified with a novel bismaleimide hollow polymer microsphere. *Composites Part B: Engineering* 222: 109041.
- 126 Zhang, L., Mao, J.L., Wang, S. et al. (2019). Benzoxazine based high performance materials with low dielectric constant: a review. *Current Organic Chemistry* 23 (7): 809–822.
- 127 Jianjun, Y., Wensuo, M., Zuobin, G. et al. (2022). Electromagnetic wave-transparent model for 2D woven composites ellipsoid radome. *Mechanics of Advanced Materials and Structures* 77: 1–7.
- 128 Li, X.T., Zhu, X.M., Dong, J. et al. (2021). Preparation of low-dielectric permittivity polyimide resins with high surface activity from chemically bonded hyperbranched polysiloxane. *Chinese Journal of Polymer Science* 39 (9): 1200–1210.
- 129 Zu, Y., Zhang, F., Chen, D. et al. (2020). Wave-transparent composites based on phthalonitrile resins with commendable thermal properties and dielectric performance. *Polymer* 198: 122490.
- 130 Qu, C.Y., Chang, J.Y., Liu, C.W. et al. (2020). Novel allyl and propenyl monomers for modification of the bismaleimide resins, with excellent dielectric properties and high glass transition temperatures. *High Performance Polymers* 32 (1): 116–126.
- 131 MacDonald, M.E. (2019). An overview of radomes for large ground-based antennas. *IEEE Aerospace and Electronic Systems Magazine* 34 (10): 36–43.
- 132 Martellosio, A., Pasian, M., Perregrini, L. et al. (2017). High-frequency radomes for polar region ground stations: the state of the art and novel developments of radome technologies. *IEEE Antennas and Propagation Magazine* 59 (6): 88–101.
- 133 Qamar, Z., Aboserwal, N., and Salazar-Cerreno, J.L. (2020). An accurate method for designing, characterizing, and testing a multi-layer radome for mm-wave applications. *IEEE Access* 8: 23041–23053.
- 134 Xu, W.Y., Duan, B.Y., Li, P., and Qiu, Y.Y. (2017). Study on the electromagnetic performance of inhomogeneous radomes for airborne applications-part II: the overall comparison with variable thickness radomes. *IEEE Transactions on Antennas and Propagation* 65 (6): 3175–3183.
- 135 Liu, R.B., Han, Z.W., Li, W.F. et al. (2016). Improvement of the interfacial shear strength of poly(p-phenylene benzobisoxazole) fiber/epoxy resin composite via a novel surface coating agent. *Polymer Composites* 37 (4): 1198–1205.

- 136 Zimmermann-Ptacek, J., Muggli, M., Wildhack, S. et al. (2018). Thermal, dielectric, and mechanical properties of h-BN-filled PTFE composites. *Journal of Applied Polymer Science* 135 (44): 46859.
- 137 Wang, Y.Q., Zeng, Z., Gao, M., and Huang, Z.Y. (2021). Hygrothermal aging characteristics of silicone-modified aging-resistant epoxy resin insulating material. *Polymers* 13 (13): 2145.
- 138 Zou, C.R., Li, B., Liu, K. et al. (2019). Mechanical properties and interfacial characteristics of 2.5D SiNO_f/BN wave-transparent composites. *Journal of the European Ceramic Society* 39 (10): 3013–3022.
- 139 Yang, B., Mao, Y.Y., Zhang, Y.H. et al. (2019). Fast-curing halogen-free flame-retardant epoxy resins and their application in glass fiber-reinforced composites. *Textile Research Journal* 89 (18): 3700–3707.

